

WILSON
Appl. No. 09/680,334
January 17, 2006

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) A method of generating test bitstreams to test a bitstream decoder arranged to decode bitstreams generated in accordance with a predefined syntax, comprising the steps of:

(a) generating test code incorporating the syntax, the test code being arranged when executed to generate a test bitstream dependent on values assigned to a plurality of variables, each variable having a number of interesting values;

(b) executing the test code, including the step of, for each of said variables, assigning that variable one of its interesting values, thereby generating a test bitstream dependent on the interesting value assigned to each variable,

wherein said step (b) is repeated until each variable has been assigned each of its interesting values, whereby a set of test bitstreams is generated.

2. (Cancelled)

3. (Original) A method as claimed in Claim 1, wherein each variable has a first set of interesting values for use in generating supported bitstreams supported by the bitstream decoder, and a second set of interesting values for use in generating unsupported bitstreams that are valid having regard to the syntax but not supported by the bitstream decoder, and the test code is executed to generate a set of supported test bitstreams and a set of unsupported test bitstreams.

4. (Original) A method as claimed in Claim 1, wherein at least one of said plurality of variables is defined by the syntax.

WILSON
Appl. No. 09/680,334
January 17, 2006

5. (Original) A method as claimed in Claim 4, wherein the bitstream decoder supports said at least one variable having any value from a set of non-overlapping continuous ranges.

6. (Original) A method as claimed in Claim 5, wherein, when generating supported bitstreams supported by the bitstream decoder, the interesting values of said at least one variable are the boundary cases of each range in the set.

7. (Original) A method as claimed in Claim 5, wherein, when generating unsupported bitstreams that are valid having regard to the syntax but not supported by the bitstream decoder, the interesting values of said at least one variable are those values adjacent to, but outside of each range in the set.

8. (Original) A method as claimed in Claim 1, wherein at least one of the variables is an internal variable used to control execution of conditional operations within the test code.

9. (Original) A method as claimed in Claim 8, wherein each internal variable may take any value within one or more ranges of values, and the interesting values for the internal variable are the boundary cases for each range.

10. (Original) A method as claimed in Claim 1, further comprising the step of generating one or more tables containing the interesting values of each variable.

11. (Previously Presented) A test bitstream generator for generating test bitstreams to test a bitstream decoder arranged to decode bitstreams generated in accordance with a predefined syntax, comprising:

a processor arranged to execute test code incorporating the syntax, the test code being arranged when executed to generate a test bitstream dependent on values assigned to a plurality of variables, each variable having a number of interesting values;

WILSON
Appl. No. 09/680,334
January 17, 2006

value determination means, responsive to execution of the test code, to assign to each variable one of said interesting values;

whereby a test bitstream is generated dependent on the interesting value assigned to each variable, and

wherein the processor is arranged to execute the test code respectively until each variable has been assigned each of its interesting values, whereby a set of test bitstreams is generated.

12. (Currently Amended) A computer program embodied in a computer-readable medium for operable to configure configuring a processing unit to perform a method of generating test bitstreams as claimed in Claim 1.

13. (Currently Amended) A computer-readable carrier medium encoded with the comprising a computer program as claimed in Claim 12.